


Percentage of susceptible Organisms Isolated From All Specimen, 9 hospitals, Jan - Dec 2018 (RMSc4)

Organism	TOTAL ISOLATES	BETA - LACTAMS																CARBAPENEMS			POLY MYCINS		QUINOLONES			AMINOGLYCOSIDES		GLYCOPEPTIDES			MISCELLANEOUS											
		PENICILLIN	PENICILLIN BY MIC	AMPICILLIN	AMOXICILLIN / CLAVULANIC ACID	AMPICILLIN / SULBACTAM	PIPERACILLIN / TAZOBACTAM	CEFAZOLIN (A)	CEFAZOLIN (U)	CEFUROXIME SODIUM (parenteral)	CEFUROXIME SODIUM (oral)	CEFOPERAZONE / SULBACTAM	CEFOTAXIME	CEFOTAXIME BY MIC	CEFTAZIDIME	CEFTAZIDIME BY MIC	CEFTRIAXONE	CEFTRIAXONE BY MIC	CEFEPIME	OXACILLIN	CEFOXITIN	ERTAPENEM	MIPENEM	MEROPENEM	COLISTIN BY MIC	CIPROFLOXACIN	CIPROFLOXACIN BY MIC	LEVOFLOXACIN	NORFLOXACIN (U)	AMIKACIN	GENTAMICIN	GENTAMICIN 120 mg	VANCOMYCIN	VANCOMYCIN BY MIC	TEICoplanin	POSIFYCIN	CLINDAMYCIN	CLINDAMYCIN BY MIC	ERTHRAMYCIN	ERTHRAMYCIN BY MIC	NITROFURANTOIN (U)	CHLORAMPHENICOL
<i>Enterococcus faecalis</i>	1,221	66.5 (96)	-	96.3 (1159)			R	R	R	R	R	R	R	R	R	R	R	R							30.2 (695)	-	-		R	R	60.0 (1147)	99.5 (1198)	-	99.5 (374)	93.3 (681)	R	R	38.7 (150)	-	84.4 (32)	R	8.4 (95)
<i>Enterococcus faecium</i>	993	3.6 (413)	-	13.8 (911)			R	R	R	R	R	R	R	R	R	R	R	R							3.2 (655)	-	-		R	R	62.7 (873)	98.3 (863)	-	76.1 (274)			11.4 (195)	-	-	R	8.8 (103)	
<i>Enterococcus</i> spp.	617	51.0 (135)	-	61.7 (587)																					-	-	-			54.0 (544)	97.7 (610)	-	-			16.7 (36)	-	-	-	-		
<i>Staphylococcus aureus</i> (all isolates)	2,899	7.2 (1252)	-																89.6 (2839)						99.5 (1547)	-	95.4 (329)		94.1 (232)		100 (41)	-	-			83.9 (2699)	-	85.9 (71)	100 (107)	97.2 (704)		
(MRSA)	316	0 (71)	-																0.0 (216)						18.3 (154)	-	-			49.6 (232)	100 (44)	-	-			21.2 (289)	-	-	90.7 (243)	22.6 (62)		
(MSSA)	2,541	7.6 (1170)	-																100.0 (2541)						97.3 (1476)	-	98.7 (309)		98.7 (2085)		-	-			91 (2377)	-	93.7 (63)	100 (63)	95.6 (617)			
(ICU)	17	-	-																-						-	-	-			-	-	-	-	-	-	-	-	-				
(inpatient)	1,096	16.1 (89)	-																85.3 (1078)						83.8 (653)	-	-		92.4 (354)		-	-			79.2 (985)	-	73.1 (98)	-	-	96.3 (91)	40.7 (91)	
(outpatient)	211	-	-																96.2 (210)						90 (80)	-	-		95.5 (132)		-	-			83.2 (196)	-	76.8 (190)	-	-	95.7 (139)	-	
<i>Staphylococcus</i> , coagulase negative	2,922	12.7 (852)	-																42.3 (2706)						57.7 (1412)	-	72.5 (160)		71.5 (2018)		-	-			44.4 (2665)	-	65.7 (143)	96 (124)	68.5 (193)	55.9 (193)		
<i>Staphylococcus</i> , coagulase negative (blood)	1,956	11 (489)	-																41.1 (1796)						56.4 (4008)	-	89.3 (151)		70.5 (1289)		-	-			32.4 (1932)	-	32.4 (1932)	-	-	93.2 (74)	65.8 (636)	59.6 (836)
<i>Streptococcus agalactiae</i>	64	99.3 (60)	-																96.8 (31)																							
<i>Streptococcus</i> , <i>B. hemolytic</i> not Group A,B	90	97.3 (74)	-																																							
<i>Streptococcus pyogenes</i>	377	99.4 (329)	-	96.3 (1191)																																						
<i>Streptococcus pneumoniae</i> (all isolates)	402	72.3 (195)	51.3 (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																								
(age 0-5 years old)	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																								
(age > 5 years old)	295	71.5 (159)	68.4 (79)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																								
(Sterile sites) b	112	85.2 (61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																								
(Non-sterile sites) c	306	84.0 (147)	45.2 (93)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																								

^a : No CLSI Interpretive Criteria. Interpret according to cefoperazone/sulbactam in *Enterobacteriaceae*
^b : Blood, Pleural Fluid
^c : Sputum, Ear, Sinus
^d : Interpret according to oxacillin susceptibility test
^e : MIC Interpretive Criteria
^f : Interpret according to cefoxitin susceptibility test
^g : High-Level Aminoglycoside
^h : Urine, Urine Catheter, Urine Clean- Voided
^{wt} : Wild-type



Regional Medical Sciences Center 4
 Department of Medical Sciences

Tel. 0 2951 0000, 98341